



## Ball valve Alco

- Alco • Stainless steel SS 316 - 2343 • Industrial valves with high quality
- Most models are available in sizes up to 2 1/2" and in different materials
- All valves are available with NPT-, BSPP- or BSPT-pipe threads



Size	Type.No.	Part.No.	
<b>Ball valve Mini PN50 "A"-series</b>			
		<b>NPT</b>	<b>BSPP</b>
1/4" female	MA2xS	61-301	61-300
1/4" male x female	MA2xS-LM	61-304	61-303
<b>Ball valve Barstock PN50 "A"-series</b>			
		<b>NPT</b>	<b>BSPP</b>
1/4" female	A2xS	*	*
3/8" female	A3xS-LM	61-312	61-311
1/2" female	A4xS-LM	61-317	61-316
3/4" female	A6xS	*	*
1" female	A8xS	*	*
<b>Ball valve Barstock PN130 "A"-series</b>			
1/4" female	RA2xS	*	
3/8" female	RA3xS-LM	*	
1/2" female	RA4xS-LM	*	
3/4" female	RA6xS	*	
1" female	RA8xS	*	
<b>Ball valve Barstock PN64 "B"-series</b>			
1/4" female	B2xS	*	
3/8" female	B3xS	*	
1/2" female	B4xS	*	
3/4" female	B6xS	*	
1" female	B8xS	*	
<b>Ball valve Barstock PN130 "B"-series</b>			
1/4" female	RB2xS	*	
3/8" female	RB3xS	*	
1/2" female	RB4xS	*	
3/4" female	RB6xS	*	
1" female	RB8xS	*	
<b>Ball valve Barstock PN200 "B"-series</b>			
1/4" female	HB2xS	*	
3/8" female	HB3xS	*	
1/2" female	HB4xS	*	
3/4" female	HB6xS	*	
1" female	HB8xS	*	
<b>Ball valve Barstock PN400 "B"-series</b>			
1/4" female	PB2xS	*	
3/8" female	PB3xS	*	
1/2" female	PB4xS	*	
3/4" female	PB6xS	*	
1" female	PB8xS	*	
<b>Ball valve Panel mount PN64</b>			
1/4" female	SB2xS	*	
3/8" female	SB3xS	*	
1/2" female	SB4xS	*	
3/4" female	SB6xS	*	
1" female	SB8xS	*	

\* - by order



# I . A . C . Komponenter AB

International Automation Components

P.O Box 60, S-566 22 Habo Phone: +46 (0)36 477 00 Fax: +46 (0)36 477 15  
E-mail: habo@iackomp.se www.iackomp.se



## Ball valve Alco

- Alco • Stainless steel SS 316 - 2343 • Industrial valves with high quality
- Most models are available in sizes up to 2 1/2" and in different materials
- All valves are available with NPT-, BSPP- or BSPT-pipe threads



Size	Type.No.	Part.No.
------	----------	----------

### Ball valve Panel mount PN 130

1/4" female	RSB2xS	*
3/8" female	RSB3xS	*
1/2" female	RSB4xS	*
3/4" female	RSB6xS	*
1" female	RSB8xS	*

### Ball valve Panel mount PN 200

1/4" female	HSB2xS	*
3/8" female	HSB3xS	*
1/2" female	HSB4xS	*
3/4" female	HSB6xS	*
1" female	HSB8xS	*

### Ball valve Panel mount PN 400

1/4" female	PSB2xS	*
3/8" female	PSB3xS	*
1/2" female	PSB4xS	*
3/4" female	PSB6xS	*
1" female	PSB8xS	*



### Ball valve Panel mount PN 64

1/4" female	SN2xS	*
3/8" female	SN3xS	*
1/2" female	SN4xS	*

### Ball valve Panel mount PN 200

1/4" female	HSN2xS	*
3/8" female	HSN3xS	*
1/2" female	HSN4xS	*

### Ball valve Panel mount PN 400

1/4" female	PSN2xS	*
3/8" female	PSN3xS	*
1/2" female	PSN4xS	*

### Ball valve Panel mount PN 670

1/4" female	USN2xS	*
3/8" female	USN3xS	*
1/2" female	USN4xS	*



### Ball valve Compression ended PN64 "B"-series

6 mm OD	B2xCS	*
8 mm OD	B3xCS	*
10 mm OD	B4xCS	*
12 mm OD	B6xCS	*

### Ball valve Compression ended PN130 "B"-series

6 mm OD	RB2xCS	*
8 mm OD	RB3xCS	*
10 mm OD	RB4xCS	*
12 mm OD	RB6xCS	*

\* - by order



# I . A . C . Komponenter AB

International Automation Components

P.O Box 60, S-566 22 Habo Phone: +46 (0)36 477 00 Fax: +46 (0)36 477 15  
E-mail: habo@iackomp.se www.iackomp.se



## Ball valve Alco

- Alco • Stainless steel SS 316 - 2343 • Industrial valves with high quality
- Most models are available in sizes up to 2 1/2" and in different materials
- All valves are available with NPT-, BSPP- or BSPT-pipe threads



Size	Type.No.	Part.No.
<b>Ball valve Compression ended PN200 "B"-series</b>		
6 mm OD	HB2xCS	*
8 mm OD	HB3xCS	*
10 mm OD	HB4xCS	*
12 mm OD	HB6xCS	*

<b>Ball valve Compression ended PN400 "B"-series</b>		
6 mm OD	PB2xCS	*
8 mm OD	PB3xCS	*
10 mm OD	PB4xCS	*
12 mm OD	PB6xCS	*



<b>Ball valve 3-way "L"-port PN64</b>		
1/4" female	SB2xS-3L	*
3/8" female	SB3xS-3L	*
1/2" female	SB4xS-3L	*
3/4" female	SB6xS-3L	*
1" female	SB8xS-3L	*



<b>Ball valve 3-way "B"-port PN64</b>		
1/4" female	SB2xS-3B	*
3/8" female	SB3xS-3B	*
1/2" female	SB4xS-3B	*
3/4" female	SB6xS-3B	*
1" female	SB8xS-3B	*

<b>Ball valve 3-way "L"-port PN200</b>		
1/4" female	HSB2xS-3L	*
3/8" female	HSB3xS-3L	*
1/2" female	HSB4xS-3L	*
3/4" female	HSB6xS-3L	*
1" female	HSB8xS-3L	*

<b>Ball valve 3-way "B"-port PN200</b>		
1/4" female	HSB2xS-3B	*
3/8" female	HSB3xS-3B	*
1/2" female	HSB4xS-3B	*
3/4" female	HSB6xS-3B	*
1" female	HSB8xS-3B	*

<b>Ball valve 3-way "L"-port PN400</b>		
1/4" female	PSB2xS-3L	*
3/8" female	PSB3xS-3L	*
1/2" female	PSB4xS-3L	*
3/4" female	PSB6xS-3L	*
1" female	PSB8xS-3L	*

<b>Ball valve 3-way "B"-port PN400</b>		
1/4" female	PSB2xS-3B	*
3/8" female	PSB3xS-3B	*
1/2" female	PSB4xS-3B	*
3/4" female	PSB6xS-3B	*
1" female	PSB8xS-3B	*

\* - by order



# I . A . C . Komponenter AB


International Automation Components

P.O Box 60, S-566 22 Habo Phone: +46 (0)36 477 00 Fax: +46 (0)36 477 15  
E-mail: habo@iackomp.se www.iackomp.se



## Ball valve Alco

- Alco • Stainless steel SS 316 - 2343 • Industrial valves with high quality
- Most models are available in sizes up to 2 1/2" and in different materials
- All valves are available with NPT-, BSPP- or BSPT-pipe threads



Size	Type.No.	Part.No.
------	----------	----------

### Ball valve 4-way PN64

1/4" female	SB2xS-x4	*
3/8" female	SB3xS-x4	*
1/2" female	SB4xS-x4	*
3/4" female	SB6xS-x4	*
1" female	SB8xS-x4	*

### Ball valve 4-way PN200

1/4" female	HSB2xS-x4	*
3/8" female	HSB3xS-x4	*
1/2" female	HSB4xS-x4	*
3/4" female	HSB6xS-x4	*
1" female	HSB8xS-x4	*

### Ball valve 4-way PN400

1/4" female	PSB2xS-x4	*
3/8" female	PSB3xS-x4	*
1/2" female	PSB4xS-x4	*
3/4" female	PSB6xS-x4	*
1" female	PSB8xS-x4	*



### Multiport gauge valves PN64

1/4" female	32FxS	*
1/4" female x male	32MxS	*
1/2" female	34FxS	*
1/2" female x male	34MxS	*

### Multiport gauge valves PN200

1/4" female	H32FxS	*
1/4" female x male	H32MxS	*
1/2" female	H34FxS	*
1/2" female x male	H34MxS	*

### Multiport gauge valves PN400

1/4" female	P32FxS	*
1/4" female x male	P32MxS	*
1/2" female	P34FxS	*
1/2" female x male	P34MxS	*



### Ball valve Sandwich style PN100 "S"-series **BSPP**

1/4" female	S2xS	*
3/8" female	S3xS	61-372
1/2" female	S4xS	61-373
3/4" female	S6xS	*
1" female	S8xS	*

### Ball valve Sandwich style PN200 "S"-series

1/4" female	HS2xS	*
3/8" female	HS3xS	*
1/2" female	HS4xS	*
3/4" female	HS6xS	*
1" female	HS8xS	*

\* - by order



# I . A . C . Komponenter AB

International Automation Components

P.O Box 60, S-566 22 Habo Phone: +46 (0)36 477 00 Fax: +46 (0)36 477 15

E-mail: habo@iackomp.se www.iackomp.se