





Tube clamps and holders

- Our tube clamps and holders are tumbled to secure soft edges and good finish
- Manufactured of stainless steel SS 304 - 2333 and SS 316 - 2343.



Size	Part.No.	
------	----------	--

Tube clamps parted bolt not incl.	SS 304	SS 316
-----------------------------------	--------	--------

6 mm (5-8 mm)	81-003	81-103
12 mm (9-14 mm)	81-001	81-101
18 mm (15-22 mm)	81-005	81-105
28 mm (23-30 mm)	81-010	81-110

Tube clamps threaded bolt not incl.	SS 304	SS 316
-------------------------------------	--------	--------

6 mm (5-8 mm)	81-033	81-133
12 mm (9-14 mm)	81-031	81-131
18 mm (15-22 mm)	81-035	81-135
28 mm (23-30 mm)	81-040	81-140

Only the threaded half,
12mm 81-032, 18mm 81-037, 28mm 81-042

Tube clamps double threaded bolt not incl.	SS 304	SS 316
--	--------	--------

12 mm (9-14 mm) cc = 32 mm	81-021	*
18 mm (15-22 mm) cc = 42 mm	81-025	*
28 mm (23-30 mm) cc = 50 mm	81-030	*
18 mm + 28 mm (15-22 mm + 23-30 mm)	81-028	*

Tube clamps parted bolt not incl.	SS 304	SS 316
-----------------------------------	--------	--------

DK 31 (29-31 mm)	81-511	-
DK 35 (33-35 mm)	81-513	-
DK 39 (38-39 mm)	81-514	-
DK 43 (40-43 mm)	81-515	-
DK 45 (44-45 mm)	81-517	-
DK 49 (48-49 mm)	81-518	-
DK 56 (53-56 mm)	81-519	-
DK 61 (57-61 mm)	81-520	-
DK 64 (63-64 mm)	81-521	-
DK 71 (70-71 mm)	81-522	-
DK 77 (75-77 mm)	81-523	-
DK 84 (80-84 mm)	81-524	-
DK 90 (88-90 mm)	81-525	-
DK 104 (98-104 mm)	81-526	-
DK 110 (105-110 mm)	81-527	-

Available in dimensions up to 410mm.

Bolts and nuts for tube clamps	SS 304	SS 316
--------------------------------	--------	--------

M6 x 12 mm	-	84-211
M6 x 16 mm	-	84-212
M6 x 20 mm	-	84-213
M6 x 25 mm	-	84-214
M10 x 40 mm	-	84-237
Nut M6	-	84-266
Nut M10	-	84-270

Recommended bolt dimensions					
-----------------------------	--	--	--	--	--

Tube clamps std.	6 mm	12 mm	18 mm	28 mm	
- Bolt	M6 x 12	M6 x 16	M6 x 20	M6 x 25	
Tube clamps threaded		12 mm	18 mm	28 mm	
- Bolt		M6 x 12	M6 x 16	M6 x 20	
Tube clamps std.	DK31	DK35	DK43	DK45	DK56
- Bolt	M10 x 40	M10 x 40	M10 x 40	M10 x 40	M10 x 40



I . A . C . Komponenter AB








International Automation Components

P.O Box 60, S-566 22 Habo Phone: +46 (0)36 477 00 Fax: +46 (0)36 477 15

E-mail: habo@iackomp.se www.iackomp.se

Tube clamps and holders

- Our tube clamps and holders are tumbled to secure soft edges and good finish
- Manufactured of stainless steel SS 304 - 2333 and SS 316 - 2343.



Size	Part.No.	
Tube clamps metre bolt not incl.	SS 304	SS 316
1-hole 12 mm for 28 pipes, cc = 32 mm	81-050	*
2-hole 12 mm for 17 pipes, cc = 55 mm	81-051	*
Multitubeclamp	SS 304	SS 316
12 mm threaded for 8 pipes, cc = 55 mm	81-056	*
18 mm threaded for 7 pipes, cc = 65 mm	81-057	*
28 mm threaded for 6 pipes, cc = 75 mm	81-058	*
Length approx. 0,5 met		
Triple tubeclamps	SS 304	SS 316
12 mm threaded for 3 pipes, cc = 32 mm	81-066	*
18 mm threaded " cc = 42 mm	81-067	*
28 mm threaded " cc = 50 mm	81-068	*
Girder clamp bolt incl.	SS 304	SS 316
20 mm M8 x 25mm	81-352	*
25 mm M8 x 30mm	81-350	*
35 mm M8 x 40mm	81-354	*
Girder clamp with halfclamp	SS 304	SS 316
20 mm x 12mm threaded	81-371	*
20 mm x 18mm threaded	81-372	*
20 mm x 28mm threaded	81-373	*
25 mm x 12mm threaded	81-374	*
25 mm x 18mm threaded	81-375	*
25 mm x 28mm threaded	81-376	*
35 mm x 12mm threaded	81-377	*
35 mm x 18mm threaded	81-378	*
35 mm x 28mm threaded	81-379	*
Girder clamp with halfclamp	SS 304	SS 316
20 mm x 18mm threaded	81-672	*
20 mm x 28mm threaded	81-673	*
25 mm x 18mm threaded	81-675	*
25 mm x 28mm threaded	81-676	*
Girder clamp with M8 Thread Rod	SS 304	SS 316
20 mm M8 Thread Rod L=20mm	81-603	*
25 mm M8 Thread Rod L=20mm	81-604	*
35 mm M8 Thread Rod L=20mm	81-605	*
Bolt with tip	SS 316	
M8 x 25 mm	84-352	
M8 x 30 mm	84-350	
M8 x 40 mm	84-354	

* - by order



I . A . C . Komponenter AB






International Automation Components

P.O Box 60, S-566 22 Habo Phone: +46 (0)36 477 00 Fax: +46 (0)36 477 15

E-mail: habo@iackomp.se www.iackomp.se

Tube clamps and holders

- Our tube clamps and holders are tumbled to secure soft edges and good finish • Manufactured of stainless steel SS 304 - 2333 and SS 316 - 2343.



Size	Part.No.		
Wall bracket halfclamp & bolt not incl.	SS 304	SS 316	
6 mm unthreaded (5-8 mm)	81-070	-	
12 mm unthreaded (9-14 mm)	81-071	-	
18 mm unthreaded (15-22 mm)	81-072	-	
28 mm unthreaded (23-30 mm)	81-073	-	
Wall bracket halfclamp & bolt not incl.	SS 304	SS 316	
6 mm threaded (5-8 mm)	81-075	-	
12 mm threaded (9-14 mm)	81-076	-	
18 mm threaded (15-22 mm)	81-077	-	
28 mm threaded (23-30 mm)	81-078	-	
Wall bracket half clamp not incl.	SS 304	SS 316	
12 mm not threaded half	81-361	*	
18 mm not threaded half	81-362	*	
28 mm not threaded half	81-363	*	
12 mm threaded half	81-366	*	
18 mm threaded half	81-367	*	
28 mm threaded half	81-368	*	
Wall bracket half clamp not incl.	SS 304	SS 316	
18 mm not threaded half	81-315	81-415	
28 mm not threaded half	81-320	81-420	
18 mm threaded half	81-335	81-435	
28 mm threaded half	81-340	81-440	
Tube support screw incl.	SS 304	SS 316	
PK 07 (11-13 mm)	81-221	-	
PK 09 (14-16 mm)	81-222	-	
PK 11 (17-19 mm)	81-223	-	
PK 13,5 (19-21 mm)	81-224	-	
PK 16 (21-23 mm)	81-225	-	
PK 21 (24-29 mm)	81-226	-	
PK 29 (30-38 mm)	81-227	-	
PK 36 (39-48 mm)	81-228	-	
PK 42 (48-54 mm)	81-229	-	
PK 48 (53-61 mm)	81-230	-	
Wall bracket tube clamps double bolt not incl.	SS 304	SS 316	
12 mm (9-14 mm) cc = 32 mm	81-341	*	
18 mm (15-22 mm) cc = 42 mm	81-342	*	
28 mm (23-30 mm) cc = 50 mm	81-343	*	
18 mm + 28 mm (15-22 mm + 23-30 mm)	81-344	*	

* - by order



I . A . C . Komponenter AB


International Automation Components

P.O Box 60, S-566 22 Habo Phone: +46 (0)36 477 00 Fax: +46 (0)36 477 15


E-mail: habo@iackomp.se www.iackomp.se

Tube clamps and holders


- Our tube clamps and holders are tumbled to secure soft edges and good finish
- Manufactured of stainless steel SS 304 - 2333 and SS 316 - 2343.




Size	Part.No.	
Bracket "KHZ" bolt incl. M6 x 16	SS 304	SS 316
L= 25 mm, 1 bolt	81-302	81-402
L= 50 mm, 1 bolt	81-301	81-401
L=100 mm, 2 bolts	81-300	81-400



Bracket 25 mm with halfclamp	SS 304	SS 316
12 mm threaded	81-306	*
18 mm threaded	81-307	*
28 mm threaded	81-308	*




Bracket 25 mm with distance halfclamp	SS 304	SS 316
12 mm threaded	81-310	*
18 mm threaded	81-311	*
28 mm threaded	81-312	*




Girder clamp with M8 Thread Rod	SS 304	SS 316
L= 25 mm, M8 Thread Rod L=20mm	81-602	*



Bracket "MP" bolt incl. M6 x 16	SS 304	SS 316
L= 25 mm, 1 bolt	81-305	*
L= 50 mm, 1 bolt	81-304	*
L=100 mm, 2 bolts	81-303	*




Bracket "MP" with halfclamp	SS 304	SS 316
18 mm threaded	81-607	*
28 mm threaded	81-608	*




Bracket "MP" with halfclamp 90°	SS 304	SS 316
18 mm threaded	81-617	*
28 mm threaded	81-618	*



Bracket "MEKA" bolt incl. M6 x 16	SS 304	SS 316
L= 25 mm, 1 bolt	81-702	*
L= 50 mm, 1 bolt	81-701	*
L=100 mm, 2 bolts	81-700	*



Bracket "MEKA" with halfclamp	SS 304	SS 316
18 mm threaded	81-705	*
28 mm threaded	81-706	*



Bracket "MEKA" with halfclamp 90°	SS 304	SS 316
18 mm threaded	81-709	*
28 mm threaded	81-710	*

* - by order



I . A . C . Komponenter AB

International Automation Components

P.O Box 60, S-566 22 Habo Phone: +46 (0)36 477 00 Fax: +46 (0)36 477 15

E-mail: habo@iackomp.se www.iackomp.se

Tube clamps and holders


• Our tube clamps and holders are tumbled to secure soft edges and good finish • Manufactured of stainless steel SS 304 - 2333 and SS 316 - 2343.




Size	Part.No.	
Pairtubeclamps raised 20 mm	SS 304	SS 316
12 mm unthreaded + 12 mm threaded	81-382	*
18 mm unthreaded + 18 mm threaded	81-385	*
28 mm unthreaded + 28 mm threaded	81-389	*




Pairtubeclamps raised 20 mm	SS 304	SS 316
18 mm unthreaded + 12 mm threaded	81-384	*
28 mm unthreaded + 12 mm threaded	81-387	*
28 mm unthreaded + 18 mm threaded	81-388	*




Pairtubeclamps	SS 304	SS 316
12 mm threaded	81-392	*
18 mm threaded	81-395	*
28 mm threaded + 18 mm threaded	81-398	*
28 mm threaded	81-399	*




Threaded halfclamp with distance	SS 304	SS 316
12 mm threaded	81-346	*
18 mm threaded	81-347	*
28 mm threaded	81-348	*



Bracket for conection box with bracket	SS 304	SS 316
25 mm bracket "KHZ"	81-322	*



Bracket for conection box with girder clamp	SS 304	SS 316
20 mm M8 x 25mm	81-323	*
25 mm M8 x 30mm	81-324	*
35 mm M8 x 40mm	81-325	*



Bracket for conection box with tube clamp	SS 304	SS 316
12 mm threaded	81-326	*
18 mm threaded	81-327	*
28 mm threaded	81-328	*

* - by order



I . A . C . Komponenter AB









International Automation Components

P.O Box 60, S-566 22 Habo Phone: +46 (0)36 477 00 Fax: +46 (0)36 477 15

E-mail: habo@iackomp.se www.iackomp.se

Tube clamps and holders

- Our tube clamps and holders are tumbled to secure soft edges and good finish
- Manufactured of stainless steel SS 304 - 2333 and SS 316 - 2343.

Size	Part.No.		
	Welding bracket mounting hole Ø 9 mm	SS 304	SS 316
	25 mm x 35 mm	81-082	81-182
	25 mm x 40 mm	81-083	81-183
	25 mm x 50 mm	81-080	81-180
	25 mm x 80 mm	81-081	81-181
	Bracket for connection box	SS 304	SS 316
	20x110 mm hole Ø 6 mm	81-090	*
	20x110 mm hole M5 threaded	81-0903	*
20x110 mm hole M6 threaded	81-0905	*	
	Plate for label	SS 304	SS 316
	20x100x1 mm hole Ø 3,5 mm	81-095	*
20x100x2 mm hole Ø 3,5 mm	81-094	*	
	Bracket flange	SS 304	SS 316
	40x250 mm hole Ø 21 mm	81-091	*
40x350 mm hole Ø 18 mm	81-092	*	
	Plate	SS 304	SS 316
	For box 90 x 90 x 2 mm (2 holes M4)	81-097	*
	For box 90 x 90 x 2 mm (5 holes)	81-0975	*
	For box 90 x 90 x 2 mm (4 hole M4)	81-096	*
Without hole 100 x 100 x 2 mm	81-098	*	
	Stripe	Plastic	
	200 mm	black	85-103
	200 mm for keyring	white	85-108
	200 mm for keyring	black	85-109
	19 x 19 anker	white	85-114
29 x 29 anker	white	85-116	
	Keyring for label	SS 304	SS 316
	Ø 30 mm	-	85-155
	Bracket for connection box with bracket	SS 304	SS 316
	For box "Malux" 99 x 81 x 2 mm (4 hole M4)	81-622	*
	For box "Malux" 99 x 81 x 2 mm 90° (4 hole M4)	81-623	*

* - by order



I . A . C . Komponenter AB

International Automation Components

P.O Box 60, S-566 22 Habo Phone: +46 (0)36 477 00 Fax: +46 (0)36 477 15

E-mail: habo@iackomp.se www.iackomp.se